Commonwealth of Pennsylvania
Dog Law Enforcement Office
Kennel Inspection

Kennel	Owner(s)
STERLING KENNEL **890 OLD POST LANE** **COLUMBIA CROSS ROADS PA 16914** **(607) 302-2827 Business** **(570) 849-6900 Business Fax**	

Kennel County	**BRADFORD** (8)		Kennel Township		
License Number	**1376**		License Year/Class	**CK5: 251-500 dogs per year**	
Person Interviewed	**Donna Stanley**		Title	**Co-Owner**	
Inspection Action	**None**	Inspection Date	**5/23/2017**	Inspected By	**Frey , Cory**

Dog Counts

CurrYr: Boarding	CurrYr: Breeding	CurrYr: Other	CurrYr: Transfer	On Prem	PrevYr: Boarding	PrevYr: Breeding	PrevYr: Other	PrevYr: Transfer
0	7	0	76	30	0	7	1	65

Kennel Regulations

Inspection Category	Result
Other	Not Applicable
455.8 Rabies Vaccination	Satisfactory
21.42 Bill of Sale	Satisfactory
21.41b Record on State Forms	Satisfactory
21.41a Records Kept	Satisfactory
21.29c Housekeeping/Pests	Satisfactory
21.29b Sanitation	Satisfactory
21.29a Excreta	Satisfactory
21.28d Bedding Cleanliness	Satisfactory
21.28c Food/Water Receptacles	Satisfactory
21.28b Water	Satisfactory
21.28a Food	Satisfactory
21.27 Lighting	Satisfactory
21.26 Ventilation	Satisfactory
21.25b Shade	Satisfactory
21.25a Temperature	Satisfactory
21.24d Flooring-Metal Strand	Not Applicable
21.24c Chains	Not Applicable
21.24b Bedding	Not Applicable
21.24a Shelter	Satisfactory
21.23b Run Dimensions	Satisfactory
21.23a Run Space	Satisfactory

21.22 Segregation	Satisfactory
21.21c Drainage	Satisfactory
21.21b Water Resistance	Satisfactory
21.21a Maintenance	Satisfactory

Kennel Acts

Inspection Category	Result
402.d Vet Check	No
401c Interference with Officer	No
220 Refusal of Entry	No
214 Health Certificate	Satisfactory
210 Bill of Sale	Satisfactory
209a.1.1 Dealing Unlic OOS Dealer	No
207g.2 Smoke Alarm & Fire Extinguishers	Not Applicable
207g.1 Exercise Plan	Not Applicable
207e Display of License, Refusal or Revocation	Satisfactory
207d Tags - RKNH	Not Applicable
207c Records Kept	Satisfactory
207b Maintenance	Satisfactory
207a Unlicensed Kennel	No
206a Kennel Closure or Moving	No

Commercial Kennel Acts

Inspection Category	Result
207I.8 Veterinary Exam Schedule	Satisfactory
207I.7 Rabies Vaccination	Satisfactory
207I.6.xii Exercise Area-Forced Exercise	Not Applicable
207I.6.x.A Exercise Area-Outdoors	Satisfactory
207I.6.ix Exercise Area-Structure and Maintenance	Satisfactory
207I.6.viii Exercise Area-Nursing Dams	Not Applicable
207I.6.vii Exercise Area-Compatibility	Satisfactory
207I.6.vi Exercise Area-Injury	Satisfactory
207I.6.v Exercise Area-Sanitation	Satisfactory
207I.6.iv Exercise Area-Repair and Maintenance	Satisfactory
207I.6.iii Exercise Area-Containment	Satisfactory
207I.6.ii Exercise Area-Size	Satisfactory
207I.6.i Exercise Area-Unfettered Access	Satisfactory
207I.4 Primary Enclosure-Unfettered Access	Satisfactory
207I.3.iii Flooring-Alternate Flooring Standards	Not Applicable

207I.3.ii Flooring-Construction	Not Applicable
207I.3.i Flooring-Structural Requirements	Satisfactory
207I.2 Primary Enclosure 30" Off Floor	Satisfactory
207I.1 Space-Size of Primary Enclosure	Satisfactory
207h.16 Records-Veterinary	Satisfactory
207h.15 Records-Individual Dogs	Satisfactory
207h.14.vii Sanitation Insect and Parasite Control	Satisfactory
207h.14.vi Sanitation Premises	Satisfactory
207h.14.v Sanitation Removing Contaminants	Satisfactory
207h.14.iv Sanitation Methods	Satisfactory
207h.14.iii Sanitation-Two Weeks or Less	Satisfactory
207h.14.ii Sanitation-Prior To Use	Satisfactory
207h.14.i Sanitation-Feces, Waste, etc.	Satisfactory
207h.13 Smoke Alarm & Fire Suppression	Satisfactory
207h.12 Primary Enclosure-Stacking	Not Applicable
207h.11 Sanitation-Dog Removal	Satisfactory
207h.10 Food Contamination	Satisfactory
207h.9 Primary Enclosure-Structural	Satisfactory
207h.8 Lighting Ranges and Cycles	Satisfactory
207h.7 Ventilation Levels	Satisfactory
207h.6 Temperature Extreme 50 and 85	Satisfactory
207h.5 Veterinary Program of Care	Satisfactory
207h.4.1 Veterinarian	Satisfactory
207h.4 Housing Limits, Compatible, Segregation	Satisfactory
207h.3 Space-Nursing Dams	Satisfactory
207h.2.xii Space-Height	Satisfactory
207h.2.xi Space-Free Movement	Satisfactory
207h.2.x Primary Enclosure-Flooring	Satisfactory
207h.2.ix Sanitation	Satisfactory
207h.2.viii Water-Potable Constant	Satisfactory
207h.2.vii Space-Shelter All Dogs	Satisfactory
207h.2.vi Primary Enclosure-Shelter Temp & Hazards	Satisfactory
207h.2.v Primary Enclosure-Shelter from Elements	Satisfactory
207h.2.iv Primary Enclosure-Restraint Access	Satisfactory
207h.2.iii Primary Enclosure-Containment Height	Satisfactory
207h.2.ii Primary Enclosure-Protect From Injury	Satisfactory
207h.2.i Primary Enclosure-Sharp Edges and Points	Satisfactory

207h.1 Primary Enclosure-Gen Structure and Repair	Satisfactory

Commercial Kennel Regulations

Inspection Category	Result
28a.8(5) Flooring	Not Applicable
28a.7 Lighting	Satisfactory
28a.4 Humidity Levels	Satisfactory
28a.2.e Ventilation and Circulation	Yes
28a.2.c Ventilation System Inspected	Yes
28a.2.b Ventilation System Certified	Yes

Miscellaneous

Inspection Category	Result
Viewed State Form Exemption Letter	Not Applicable
Viewed Rabies Certification Letter	Not Applicable
Reinspection required	No

Remarks

Actions which are directed to be taken are not all that may be required of the kennel operator to come into compliance. The kennel operator is responsible for taking any and all actions necessary to come into compliance.

Inspection of the kennel took place on May 23, 2017. A total of 28 adult dogs, and 2 puppies were located on the premises at the time of this inspection. The 2016 kennel license was viewed.

The inspection of May 23, 2017 is as follows:

The kennel was in compliance with all provisions of the Act and its regulations as of the date and time of this inspection.